



DATE : 15th Aug 2018

SAFETY DATA SHEET



SL-342 SILICONE FLUID

1. Product & Company Identification

Product Details

Product name: SL-342 Silicone Fluid

Physical form: Liquid
Odour: Odorless
Colour: Clear

Company Details

Manufacturer: Silock Technical Inc. Address: Nevada 89102 USA

2. Hazards Identification

Hazard Pictogram

None.

Classification

None.

Hazard Statement

None.

This Product is not classified as hazardous under current regulations.

3. Composition / Hazardous Components

<u>Chemical Name</u> <u>CAS No.</u> <u>WT%</u>
Polydimethylsiloxane 63148-62-9 >99%

4. First-aid Measures

Eyes: Immediately flush with water for 15 minutes. Get

medical attention.

Skin: Remove from skin and wash thoroughly with soap

and water

Inhalation: No first aid should be needed.

Ingestion: Get medical attention.





DATE : 15th Aug 2018

SAFETY DATA SHEET



SL-342 SILICONE FLUID

5. Fire Fighting Measures

Extinguishing media

Suitable extinguishing media:

water mist, extinguishing powder, alcohol-resistant foam, carbon dioxide, sand. <u>Extinguishing media which must not be used for safety reasons:</u> water jet.

Special hazards arising from the substance or mixture

Risk of hazardous gasses or fumes in the event of fire. Exposure to combustion products may be a health hazard! Hazardous combustion products: carbon oxides, silicon oxides, incompletely burnt hydrocarbons, toxic and very toxic fumes.

Advice for firefighters

Special protective equipment for fire-fighting:

Use respiratory protection independent of recirculated air. Keep unprotected persons away

6. Accidental release measures

Personal Precautions: Environmental Precautions: Methods for Cleaning up:

PROFES SOLUTION Avoid eye contact. Do not take internally. Do not allow large quantities to enter drains. Take up mechanically and dispose of according to local/state/federal regulations. Do not flush away with water. For small amounts: Absorb with a neutral (non-acidic / non-basic) liquid binding material such as diatomaceous earth and dispose of according to government regulations. For large amounts: Liquids may be recovered using suction devices or pumps. If flammable, only air driven or properly rated electrical equipment should be used. Clean any slippery coating that remains using a detergent / soap solution or another biodegradable cleaner. Silicone fluids are slippery; spills are a safety hazard. Apply sand or other inert granular material to improve traction.

In the event of a release of this material, the user should determine if the release qualifies as reportable according to local, state, and federal.

7. Handling and Storage

Handling: Use with adequate ventilation. Avoid eye contact. Do not

take

internally. Exercise good industrial hygiene practice.

Wash after

handling, especially before eating, drinking or smoking.





DATE : 15th Aug 2018

SAFETY DATA SHEET



SL-342 SILICONE FLUID

Storage: Store away from oxidizing agents. Keep container

closed.

Unsuitable Packaging None established.

Materials:

8. Exposure control / Personal protection

Exposure Limits: Not applied

Engineering Controls

Local Ventilation: None should be needed.

General Ventilation: Recommended.+

Personal Protective Equipment for Routine Handling

Respiratory protection: No respiratory protection should be needed.

Suitable Respirator: None should be needed.

Eye protection: Wear chemical safety goggles or appropriate protective

eyeglasses.

Hand protection: Wear chemical protective gloves.

Skin protection: Wash at mealtime and end of shift. Contaminated clothing and

shoes should be removed as soon as practical and thoroughly

cleaned before reuse. Chemical protective gloves are

recommended.

Hygiene Measures: Exercise good industrial hygiene practice. Wash after handling,

especially before eating, drinking or smoking.

Note: These precautions are for room temperature handling. Use at elevated temperatures or aerosol spray applications may require added precautions.

9. Physical and Chemical Properties

Specific Physical Form:

Odour, Colour, Grade:

General Physical Form:

Auto ignition temperature:

Flash Point:

Liquid

Odourless

Liquid

410 °C

> 300 °C

Flammable Limits - LEL: Not Applicable Flammable Limits - UEL: Not Applicable Not Applicable **Boiling point:** Vapour Density: Not Applicable Not Applicable Vapour pressure: Specific Gravity: 0.97g/cm³ Approx. 7 pH: **Melting Point:** -50 °C

Solubility in Water (%): virtually insoluble at 20 °C

Evaporation rate:

Volatile Organic Compounds:

Volatile Percentage:

Not Applicable

Not Applicable





DATE : 15th Aug 2018

SAFETY DATA SHEET

SILOCK® PROFESSIONAL

SL-342 SILICONE FLUID

VOC Less H2O & Exempt Solvents: Not Applicable Viscosity: Not Applicable

Note: The above information is not intended for use in preparing specifications.

10. Stability and Reactivity

Stability: Stable.

Materials to Avoid: Oxidizing material can cause a reaction.

Conditions to Avoid: None

Hazardous Polymerization: Hazardous polymerization will not occur.

Hazardous Decomposition/ By- Silicone dioxide. Carbon monoxide and carbon

Products: dioxide during combustion.

11. Toxicological Information

Possible Health Effects:
Sensitizing Effects:
Mutagenic Effects:
Reproductive Effects:
Carcinogenic Effects:
None known.
None known.
None known.
None known.

Other Health Hazard Information: No known applicable information.

The above listed potential effects of overexposure are based on actual data, the results of studies performed upon similar compositions, component data, and/or expert review of the products.

12. Ecological Information

Environmental Fate and Solid material, insoluble in water. No adverse effects

Distribution: are predicted.

Environmental Effects: No adverse effects on aquatic organisms are

predicted.

Bioaccumulation: No bioaccumulation potential.

Fate and Effects in Waste Water No adverse effects on bacteria are predicted.

Treatment Plants:

13. Disposal considerations

Product Disposal: Dispose of in accordance with local regulations. Packaging Disposal: Dispose of in accordance with local regulations.

Characteristic Waste:

Ignitable: NO Corrosive: NO Reactive: NO





DATE : 15th Aug 2018

SAFETY DATA SHEET



SL-342 SILICONE FLUID

Since regulations vary, consult applicable regulations or authorities before disposal.

14. Transport Information

Road and Rail Transport: Not applicable.

Sea Transport (IMDG): Not subject to IMDG code.
Air Transport (IATA): Not subject to IATA regulations.

Special Requirements None.

and Additional Information:

15. Regulatory Information

Warning Label: None known Special identification Not applicable

instructions:

National Regulations: Not applicable International Not applicable

Regulations:

16. Other Information

These data are offered in good faith as typical values and not as a product specification. No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific content of the intended use and determine whether they are appropriate.