SILOCK PROFESSIONAL SILOCK TECHNICAL INC. ADRESS: NEVADA 89102 USA MEBSITE: WWW.SILOCK.COM.MY ADDRESS: NEVADA 89102 USA MEBSITE: WWW.SILOCK.COM.MY

> REV : 03 DATE : 20<sup>th</sup> June 2023

# SAFETY DATA SHEET

# SILOCK SL-713 NEUTRAL MULTI-PURPOSE SILICONE SEALANT

### 1. Product & Company Identification

#### 1.1 Product Details

Product name:SL-713 Neutral Multi-Purpose Silicone SealantPhysical form:PasteOdour:Oxime OdourCAS No.:Mixture

#### 1.2 Company Details

Manufacturer:	Silock Technical Inc.
Address:	Nevada 89102 USA

#### 2. Hazards Identification

Hazard Pictogram



**Signal Word: Warning** 

#### **Classification**

Skin corrosion or irritation	Category 2
Serious eye damage or eye irritation	Category 2
May cause respiratory irritation	Category 3

#### Hazard Statement

H315 - Causes skin irritation.

H319 - Causes serious eye irritation

-----

. .

H335 - May cause respiratory irritation

<u>Precautionary Statement – Prevention</u> P264 - Wash thoroughly after handling. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. <u>Precautionary Statement – Response</u> P302 + P352 - IF ON SKIN: Wash with plenty of soap and water. P332 + P313 - If skin irritation occurs: Get medical advice/attention. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

REV : 03 DATE : 20<sup>th</sup> June 2023

WEBSITE: WWW.SILOCK.COM.MY

**TECHNICAL IN** 

# **SAFETY DATA SHEET**

SILOC

ADDRESS: NEVADA 89102 USA.

# SILOCK SL-713 NEUTRAL MULTI-PURPOSE SILICONE SEALANT

contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice/attention.

<u>Precautionary Statement – Storage</u> No precautionary statement

<u>Precautionary Statement – Disposal</u> No precautionary statement

COLUTION

3. Composition / Hazardous Components			
<u>Chemical Name</u>	<u>CAS No.</u>	<u>WI%</u>	
Methyl Tri(Methylethylketoxime) Silane	22984-54-9	1 – 5 %	
Vinyl Tri(Methylethylketoxime) Silane	2224-33-1	1 – 5 %	
Treated Fume Silica	68583-49-3	5 – 15 %	
Petroleum Distillates	64742-48-9	5 – 30 %	

4. First-aid Measures	
Take off all contaminated	clothing immediately.
In case of ingestion:	Seek medical advice immediately.
In case of skin contact:	Wipe with paper towel and immediately clean with water and
	soap.
In case of eyes contact:	Immediately flush with water, seek medical advice if
PRUF	necessary.

5. Fire Fighting Measures	
Suitable extinguishing media: Unsuitable extinguishing media: Hazardous decomposition:	All standard fire-fighting media. Unknown Carbon dioxide, carbon monoxide, silicone dioxide and nitrogen oxides and formaldehyde.

6. Accidental release measures		
Methods for cleaning up:	Take up mechanically.	
7 Handling and Storage		

7. Hundling und Sloruge	
Handling:	Avoid contact with eyes and skin. Ensure good ventilation
	during processing. Wear safety shoes.
Protection against fire/	General rules of fire prevention should be observed.

REV : 03 DATE : 20<sup>th</sup> June 2023

### SAFETY DATA SHEET

# SL-713 NEUTRAL MULTI-PURPOSE SILICONE SEALANT

ADDRESS: NEVADA 89102 USA

explosion: Storage: Cautions:

Keep container tightly closed and dry. Extreme heavy in drum form if product packed in 200L drum.

#### 8. Exposure control / Personal protection

Ingredients with limited values to be controlled:Not indicated.Local exhaust:RecommendedGeneral ventilation:RecommendedHand protection:Suitable protective gloves.Eye protection:Safety/protective glasses.Flammability:CombustibleNote: Until more data is known, exposure levels should be maintained as low as achievable.

#### 9. Physical and Chemical Properties

Form:	Paste
Specific gravity:	0.97 ± 0.05
Colour:	Clear and pigmented
Viscosity:	Not indicated.
Odour:	Oxime.
Solubility in water:	Insoluble
Boiling point:	Not Applicable.
Flash point:	Not Applicable.
Ignition temperature:	Not Applicable.
Vapour pressure:	Not Applicable.
Solubility in organic solvent:	Toluene.

Note: the above information is not intended for use in preparing specification.

#### 10. Stability and Reactivity

Chemical stability: Incompatibility (material to be avoid): Conditions to be avoid: Dangerous reactions: Dangerous products of decomposition: Stable None known. None known. None known. Ketoxime during curing.

#### 11. Toxicological Information

Acute toxicity: Primary irritant effect, On the skin: On the eye:

#### Not determined

Irritant for skin and mucous membranes. Irritant effect

REV : 03 DATE : 20<sup>th</sup> June 2023

## SAFETY DATA SHEET



# SL-713 NEUTRAL MULTI-PURPOSE SILICONE SEALANT

ADDRESS: NEVADA 89102 USA

Sensitization: Additional Toxicological information: Sensitization possible by inhalation. Until more data is known, exposure levels should be maintained as low as achievable.

#### 12. Ecological Information

Complete information not yet available.

#### 13. Disposal considerations

For cured sealant landfill may be suitable. With respect to local regulation, dispose of to suitable incineration plant.

#### 14. Transport Information

Proper shipping name:Silicone SealantHazard technical name:Not available.Hazard class:Not available.No dangerous goods under the transport regulation.

#### 15. Regulatory Information

Labeling (EC): This product is not subject to the labeling requirements.

#### 16. Other Information

These data are offered in good faith as typical values and not as a product specification. No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific content of the intended use and determine whether they are appropriate.

\*\*\* End of SDS \*\*\*